# AD-A260 231



PL-TR-92-2138

A Systematic Study of the Effects of Crust and Upper Mantle Structure on Regional Seismograms



Danny J. Harvey

University of Colorado Department of Physics TAGG/JSPC Campus Box 583 Boulder, CO 80309

1 June 1992

Scientific Report No. 1

93-02434

Approved for public release; distribution unlimited



1

PHILLIPS LABORATORY
Directorate of Geophysics
AIR FORCE SYSTEMS COMMAND
HANSCOM AIR FORCE BASE, MA 01731-5000

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of the Air Force or the U.S. Government.

This technical report has been reviewed and is approved for publication.

JAMES F. LEWKOWICZ
Contract Manager

Solid Earth Geophysics Branch

Earth Sciences Division

JÁMES F. LEWKOWICZ

Branch Chief

Solid Earth Geophysics Branch

Earth Sciencs Division

DONALD H. ECKHARDT, Director

Earth Sciences Division

This document has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/IMA, Hanscom AFB MA 01731-5000. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

### REPORT DOCUMENTATION PAGE

Form Approved OMB No 0704-0188

Public reporting burder for this rejection of information in Stimategian warable for under 1 solding the time for reviewing instructions, searching exist a 200 mg gathwing and maintaining the data needed, and competing and reviewing the collection of information, including suggestions for reducing this burder in Standard Property 1215 performance of information, including suggestions for reducing this burder in Washington Meanquarters Services, Directorate for information Operations and Property 1215 performance of the property 1215 performance of the property of the

1. AGENCY USE ONLY (Leave b)	ank)	2. REPORT DATE		3. REPORT TYPE AND DATES COVERED		
		l June 1992	Scientific			
					DING NUMBERS 28-90-K-0050	
1					.01F	
The same of the sa					500	
6. AUTHOR(S)						
Danny J. Harvev				WV BH	1	
builty 5. Harvey						
					ORMING ORGANIZATION ORT NUMBER	
The University of Colorado					או אטאוסנא	
Department of Physics						
TAGG/JSPC						
Boulder, CO 80309-0583						
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10					NSORING MONITORING	
Phillips Laboratory					NCY REPORT NUMBER	
Hanscom AFB, MA 01731-5000					R-92-2138	
Contract Manager: James Lewkowiz/GPEH						
11. SUPPLEMENTARY NOTES						
	-					
12a. DISTRIBUTION / AVAILABILITY	STAT	EMENT		126 DIS	TRIBUTION CODE	
approved for public release;						
distribution unlimited						
				1		
13. ABSTRACT (Maximum 200 woi	rds) A	s part of a broad	er effort to in	vert for	Eurasian crust and	
upper mantle structure, a study has been undertaken to investigate the effects of						
structural model variations on regional synthetic seismograms. The intent of this						
study is to produce regional synthetic seismograms that approximately match the						
observed data so that the inferred structural models can be used as starting points						
in a formal inversion proceedure. Using laterally homogeneous structural models we have systematically varied velocity-depth functions down to about 500 km depth and						
compared synthetic seismograms to data out to about 2000 km distance. Differential						
seismograms were used to infer relationships between structural parameters and the						
resulting seismograms.				·=		
models and introducing velocity randomization, it is possible to produce synthetic						
seismograms that show all of the regional phases complete with attendant coda. How-						
ever, the synthetic seismograms show energetic $P_{\!\!g}$ and $S_{\!\!h}$ phases at distances above						
$1000 \text{ km}$ that are often not present in the data. The $S_n$ phase can be reduced by						
suitable upper mantle velocity profiles. The reduction of Pg in the synthetics is						
more difficult which indicates that lateral scattering may be reducing Pg amplitudes						
without adversely affecting Lg. 14. SUBJECT TERMS					15. NUMBER OF PAGES	
Regional Wave Propagation, Seismic Scattering					34	
., ., ., ., ., ., ., ., ., ., ., ., ., .					16. PRICE CODE	
17. SECURITY CLASSIFICATION	18. S	ECURITY CLASSIFICATION	19. SECURITY CLASS	IFICATION	20. LIMITATION OF ABSTRACT	
OF REPORT		OF THIS PAGE	OF ABSTRACT		,,,	
UNCLASSIFIED	UNC	CLASSIFIED	UNCLASSIFIED		UL 208 (80) 2 89)	

## A Systematic Study of the Effects of Crust and Upper Mantle Structure on Regional Seismograms

by

#### Danny J. Harvey

#### 1. Introduction

As part of a broader effort to invert for Eurasian crust and upper mantle structure, a study has been undertaken to investigate the effects of structural model variations on regional synthetic seismograms. The intent of this study is to produce regional synthetic seismograms that approximately match the observed data so that the inferred structural models can be used as starting points in a formal inversion procedure. Another purpose for this study is to identify to what extent different modeling techniques can be used to adequately represent the observations.

We are particularly interested in using laterally homogeneous modeling procedures since they are computationally efficient and accurate, given the assumption of 1D structure. This issue of computational efficiency is not a minor point. The process of inferring source and structural parameters, whether using formal inversion procedures or systematic studies, requires a large number of forward evaluations. On the other hand, we know that the earth is not laterally homogeneous and it is important to identify the inadequacies of full waveform modeling using 1D structures. In this study we hope to gain understanding about the basic physical processes that are important for regional seismic wave propagation and we want to determine the fundamental limitations of 1D modeling techniques.

Accession for

NTIS COMMAND TO STATE THE TABLE THE TABLE TO STATE THE TABLE T

Special

DTIC QUALITY INSPECTED 3

D1st

#### 2. Research Accomplished

The data we used in this study comes from three sources and we have concentrated on the USSR Joint Verification Experiment (JVE) nuclear shot that took place on September 14, 1988 at the Semipalatinsk test site in Kazakhstan. The first set of data sources are the IRIS high frequency surface instruments at Chusal (CHS), Arti (ARU) and Obninsk (OBN). The second set of sources were portable high frequency instruments that were placed at Karasu (KSU), Karkaralinsk (KKL) and Bayanaul (BAY) and the third data source consists of hand digitized analog records recorded by Soviet observatories at

ARU, OBN, Talaya (TLY) and Norilsk (NRI). Figure 1 shows a record section plot of the vertical component IRIS and portable digital instrument recordings after application of a low pass filter and decimation to 1 Hz nyquist frequency. The useful frequency range is 0.1 to 1.0 Hz. The digitized Soviet data after similar filtering and decimation is shown in figure 2.

Although the instrument responses for the analog records are somewhat different from those of the digital instruments, we can still see certain basic characteristics of the waveforms.

- Other than the first P arrival, the only consistent arrival is L<sub>g</sub> which is characterized as an emergent arrival with a long coda. We should point out that L<sub>g</sub> is not always apparent from other test sites or at stations from the Kazakh test site that are further away.
- 2. The  $S_n$  arrival, which becomes the direct upper mantle S arrival at the longer distances, can be seen on some of the records (CHS and ARU), but it is small.
- 3. There is no obvious P<sub>g</sub> arrival. It could be hidden in, or contributing to, the coda

<sup>&</sup>lt;sup>1</sup> The digitized analog Soviet data was obtained through a joint US-Soviet seismic data exchange agreement. These data were originally heliocorder records that were hand digitized by a • US contractor.

associated with the first P arrival.

4. There is no appreciable Rayleigh wave in this frequency band for the stations at distances greater than 250 km.

We used three methods for computing synthetic seismograms for comparison with the data: the locked mode method of Harvey,<sup>2</sup> the reflectivity method<sup>3</sup> and the WKBJ ray theoretical method of Chapman and Dey-Sarkar.<sup>4</sup> Most of the complete seismograms were computed with the locked mode method with the reflectivity method used for periodic checks. The WKBJ ray theory was meant to be used as a very rapid initial check of candidate structural models. The synthetic seismograms were all computed to 1 Hz nyquist frequency and were filtered with the instrument responses and the same anti-aliasing filter used in the decimation of the data.

The structural models used in this study are shown in figure 3. We started with a "crude" model, shown in figure 3a, which consists of six homogeneous layers with discontinuities at 10, 50, 220, 410 and 700 km depth. The Q model for the "crude" structure was  $Q_{\alpha} = 2000$  and  $Q_{\beta} = 950$  in every layer except the topmost layer where  $Q_{\alpha} = 200$  and  $Q_{\beta} = 95$ . A synthetic record section using the crude model is shown in figure 4. If we compare this with the data we can see that the crude model produces no appreciable  $L_{g}$  and it produces a direct S arrival that is much larger than in the data. If we try to increase the Q values in the topmost layer, a large Rayleigh wave appears and  $L_{g}$  is still much smaller than in the data.

Figures 5 through 10 show the synthetic record sections corresponding to the structural models shown in figures 3b through 3g. The basel model is a layerized version of a model with smooth gradients within the crust, at the Moho and in the upper

<sup>&</sup>lt;sup>2</sup> Harvey, D. (1981). Seismogram synthesis using normal mode superposition: the locked mode approximation. *Geophys. J. R. Astr. Soc.* 66, 37-61.

<sup>&</sup>lt;sup>3</sup> Luco, J. and Apsel, R. (1983). On the Green's functions for a layered half-space: Part I. Bull. Seismol. Soc. Am. 73, 909-929.

<sup>&</sup>lt;sup>4</sup> Dey-Sarkar, S. K. and Chapman, C. H. (1978). A simple method for the computation of body-wave seismograms. *Bull. Seismol. Soc. Am.* 68, 1577-1593.

mantle. The base2 model is similar to base1 except that a weak low velocity zone has been introduced at about 100 km depth, the upper mantle gradients have been decreased and gradients at the upper mantle discontinuities have been added. The base3 model, although unrealistic, was an attempt to minimize the direct S phase by using a completely smooth  $V_s$  distribution throughout the upper mantle.

In a previous study we determined that using a vertically randomized velocity distribution in the crust produced synthetic seismograms that show many of the features that we see in the data especially in the early parts of the wavetrain. The ranl-basel, ranl-base2 and ranl-base3 (figures 3e, 3f and 3g) structural models are combinations of the upper mantle structures of base1, base2 and base3 with a vertically randomized version of the crust.

If we look at the synthetic record sections of figures 4, 5, 6 and 7, which all correspond to 'mooth or large-scale blocky structural models, we see many large amplitude impulsive arrivals. The direct upper mantle S arrival is particularly large. We took some time to understand the nature of this arrival in the synthetic seismograms. We were using pure explosion sources at 630 m depth for all of the synthetic seismograms so the S arrival is generated entirely by P toS conversions predominately at the free surface. By comparing ray theoretical arrivals with those from the complete seismogram synthesis codes we were able to determine that the direct S arrival is a combination of a normal P to S conversion at the free surface along with a strong diffraction arrival that is generated by the small radius of curvature of the P wave front as it is reflected at the free surface. In order to represent this diffraction arrival in the ray theoretical code we added a vertical vector point force at the free surface that was time delayed by the P travel time from the explosion source at 650 m depth to the surface.

The data shows weak or nonexistent direct S arrivals which represents a major discrepancy between the data and the synthetics. From previous studies we know that

there is evidence that underground nuclear explosion arrivals generated by free surface conversions are weaker in the near source region than theory predicts.<sup>5</sup> However, this effect is not normally strong enough to explain the difference the we see here between the synthetic seismograms and the data. If we look to upper mantle intrinsic attenuation, a simple calculation yields a Q<sub>β</sub> value of about 100 that would be necessary to bring down the direct S arrival amplitudes to be consistent with the data and this value of upper mantle Q is probably unreasonable and at odds with the Q estimates from whole earth inversion studies for the central Asian shield region.

As an alternative mechanism for the reduction of the direct S arrival amplitude we have investigated near surface linear elastic scattering by introducing a large number of thin crustal layers with a random component to the velocity distribution which presents a broad-scale vertical scattering environment to the upper mantle arrivals as they pass through the crust. Figures 8, 9 and 10 show synthetic record sections with crustal randomized versions of the structures represented in figures 5, 6 and 7 respectively. The crustal scattering in the randomized models has caused a number of effects.

- The direct S arrival is consistently reduced in amplitude. In some cases, such as at CHS, this reduction is substantial and the seismograms for the randomized models conform to what we see in the data.
- 2. The direct P arrival is able to pass through the randomized crustal layers with only a small reduction in amplitude which is consistently with the data.
- 3. There is a tendency for all impulsive arrivals to be "blurred" out to produce wavelet groupings followed by coda. This is a characteristic that we see in the data.
- 4. Although it is not readily apparent in the figures, the total L<sub>g</sub> energy level increases with the randomized models.

<sup>&</sup>lt;sup>5</sup> This is normally attributed to non-linear effects in the region above the explosion which effectively create an extremely low Q zone between the explosion and the surface.

A closer comparison of the data with all of the synthetic seismograms at four stations can be seen in figures 11 through 14. The crustal randomization mitigates, at least to some extent, the problem with the direct S arrival, however there remain substantial differences between the data and the synthetics especially regarding  $L_{\mu}$  and the Rayleigh surface wave. By using differential seismograms we have determined that L<sub>g</sub> for these crustal models propagates in the upper 10 km of the crust, in the same general region where the 0.5 Hz Rayleigh wave is appreciably energetic. Attempts to attenuate the Rayleigh wave with suitable Q models also causes L<sub>g</sub> to be attenuated. This can be clearly seen when we compare the crude model, where the Q values were low all the way down to 10 km depth, to the basel model, where the Q values were low only to several km depth. If we compare L, to P amplitude ratios of the data to those of the synthetics we find that except for station KKL, the data has consistently higher values than the synthetics suggesting that, if anything, the upper crust Q values for the synthetics are too low. At the same time the data shows no sign of 0.5 Hz Rayleigh waves for the stations at distances more than 1000 km, suggesting that the upper crust Q values for the synthetics are too high.

If we look at the comparison for station KKL (figure 11), which is at a distance of about 250 km, the data shows a large and dispersed Rayleigh wave and a small L<sub>g</sub> arrival. This is a station where the L<sub>g</sub> to P amplitude ratio is higher for the synthetics than for the data and where the data shows a Rayleigh wave that has approximately the same amplitude as that of the synthetics. The big difference between the data and the synthetics is the dispersed nature of the Rayleigh wave in the data compared to the relatively impulsive nature of the Rayleigh wave in the synthetics. The group velocity range corresponding to the observed Rayleigh wave dispersion is about 3.0 to 2.4 km/sec. This sort of dispersion at such a small distance is difficult, if not impossible, to produce with laterally homogeneous modeling techniques using reasonable structural models. We think that the observed dispersion in the Rayleigh wave at KKL is likely

due to lateral scattering mechanisms that fall into two basic categories: 1) large scale multi-pathing of the fundamental Rayleigh wave from different azimuths at the receiver and 2) small to medium scale scattering of the fundamental Rayleigh wave into higher modes along the entire propagation path.

If small scale scattering of the Rayleigh wave is not important, then we would expect to see the Rayleigh wave at the larger distances except with "scrambled" despersion characteristics, like we do at KKL. If small scale scattering is important, then the Rayleigh wave would be continuously scattered into other modes along its propagation path which would effectively attenuate it as it propagates. When the Rayleigh wave impinges upon a small subsurface scattering region, body wave energy would be radiated which would likely be at the S wave velocity of the upper crust, i.e. the L<sub>µ</sub> velocity. We think that there is a strong tendency for the high frequency Rayleigh wave to be scattered into L<sub>µ</sub> which attenuates the Rayleigh wave and boosts the L<sub>µ</sub> arrival and this hypothesis is consistent with the differences we see between the data and the laterally homogeneous modeling results.

The lateral scattering of a well organized surface wave into a highly focused waveguide arrival points out the inadequacies of representing random scattering with an effective "scattering" Q value. The scattering Q value necessary to reduce the Rayleigh wave amplitude consistent with the data also clobbers  $L_a$ . In this case the effective scattering Q value is different for the Rayleigh wave and  $L_a$  even though they occupy the same depth and frequency range. In fact it may be that the scattering Q for  $L_a$  is negative, since  $L_a$  is the beneficiary of Rayleigh wave energy along with other forms of scattered energy. If this representation of  $L_a$  is accurate then we could consider  $L_a$  to be a sort of "garbage can" arrival that picks up energy scattered from other arrivals and focuses it along the upper crust waveguide.

#### 3. Conclusions

We have compared regional data recorded during the Soviet JVE with synthetic seismograms for a number of hypothetical structural models using laterally homogeneous modeling techniques. Our intent was to determine which parts of the waveforms could be adequately represented by these techniques, to identify where lateral scattering plays a critical role in the wave propagation and to infer structural models that can be used as starting values in a formal inversion procedure. Out conclusions from this study are as follows.

- The only clear and consistent arrivals in the data are the first P arrival and L<sub>g</sub>. A
  weak direct S arrival can be seen occasionally. There is no evidence of a Rayleigh wave at distances above 1000 km.
- 2. Laterally homogeneous modeling does a fairly good job of representing the first P arrival and, to a lesser extent, the first S arrival.
- 3. Vertical randomization of the crust is necessary to smooth out impulsive arrivals that we do not see in the data and to help capture S energy within the crust before it has a chance to propagate into the mantle.
- 4. Although most reasonable laterally homogeneous structural models will produce an  $L_g$  arrival, it is difficult to match the observed amplitude. Attempts to adjust upper crust Q values to boost  $L_g$  has the undesirable side effect of boosting the Rayleigh wave amplitude.
- A plausible hypothesis to explain the differences in  $L_{\mu}$  and Rayleigh wave amplitudes between the synthetics and disa is that small to medium scale lateral scattering of the Rayleigh wave into  $L_{\mu}$  is occurring along the entire Rayleigh wave propagation path.
- 6. The  $L_g$  arrival may be a seismic "garbage can" that naturally picks up and focuses energy that has been scattered, either vertically or laterally, from all other waves

that pass through the upper crust.

Our recommendations for future work are as follows.

- In order to explain Rayleigh wave and L<sub>µ</sub> amplitudes at regional distances, Rayleigh wave to L<sub>µ</sub> lateral scattering needs to be investigated. It is likely that either a mode coupling method must be used to model this or numerical modeling methods, such as 2D or 3D finite difference, must be used.
- 2. The role of vertical randomization in the upper mantle needs to be studied. Although we would not expect the random characteristics of upper mantle velocity distributions to be the same as those in the crust, it would be reasonable to expect some effectively random component to the velocity distributions. Upper mantle randomization would help to further smooth out impulsive arrivals and to effectively defocus strong triplications.
- 3. It will be highly desirable to develop methods for mapping structural and source statistical parameters into observed statistics, such as RMS L<sub>a</sub> measurements.

#### 4. Contributing Researchers

The following individuals contributed to the research described in this report.

Dr. Roger Hansen, Air Force Technical Applications Center, Patrick AFB, FL

#### 5. Related Contracts and Publications

A companion contract, "Studies of High Frequency Regional Discriminants", F19628-90-K-0023, provided partial apport for some results presented in this report.

The following publications were produced in part with support from this contract.

Harvey, D, and Hansen, R., 1991, A Systematic Study of the Effects of Crust and Upper Mantle Structure on Reg and Seismograms, Proceedings of the Thirteenth Annual PL/DARPA Seismic Research Symposium, J. Lewkowicz, and J. McPhetres, ed.




Figure 1. Digital vertical component records from the IRIS and portable instruments for the Soviet JVE after decimation to 1 Hz.




Figure 2. Analog vertical component records from the Soviet instruments for the Soviet JVE after decimation to 1 Hz.




Figure 3 P and S wave velocities for the structural models used in this study.




Figure 4. Synthetic seismograms for the structural model shown in figure 3a.




Figure 5. Synthetic seismograms for the structural model shown in figure 3b.




Figure 6. Synthetic seismograms for the structural model shown in figure 3c.




Figure 7. Synthetic seismograms for the structural model shown in figure 3d.




Figure 8. Synthetic seismograms for the structural model shown in figure 3e.




Figure 9. Synthetic seismograms for the structural model shown in figure 3f.




Figure 10. Synthetic seismograms for the structural model shown in fig. 3g.




Figure 11. Comparisons of data with synthetic seismograms at KKL. The data station names end in "d" to signify the digital data or "a" to signify the analog data.




Figure 12. Comparisons of data with synthetic seismograms at CHS. The data station names end in "d" to signify the digital data or "a" to signify the analog data.




Figure 13. Comparisons of data with synthetic seismograms at ARU. The data station names end in "d" to signify the digital data or "a" to signify the analog data.




Figure 14. Comparisons of data with synthetic seismograms at OBN. The data station names end in "d" to signify the digital data or "a" to signify the analog data.

#### DISTRIBUTION LIST

Prof. Thomas Ahrens
Seismological Lab, 252-21
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Keiiti Aki
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Shelton Alexander Geosciences Department 403 Deike Building The Pennsylvania State University University Park, PA 16802

Dr. Ralph Alewine, III DARPA/NMRO 3701 North Fairfax Drive Arlington, VA 22203-1714

Prof. Charles B. Archambeau CIRES University of Colorado Boulder, CO 80309

Dr. Thomas C. Bache, Jr. Science Applications Int'l Corp. 10260 Campus Point Drive San Diego, CA 92121 (2 copies)

Prof. Muawia Barazangi Institute for the Study of the Continent Cornell University Ithaca, NY 14853

Dr. Jeff Barker
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Dr. Douglas R. Baumgardt ENSCO, Inc 5400 Port Royal Road Springfield, VA 22151-2388

Dr. Susan Beck
Department of Geosciences
Building #77
University of Arizona
Tuscon, AZ 85721

Dr. T.J. Bennett
S-CUBED
A Division of Maxwell Laboratories
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091

Dr. Robert Blandford AFTAC/TT, Center for Seismic Studies 1300 North 17th Street Suite 1450 Arlington, VA 22209-2308

Dr. G.A. Bollinger Department of Geological Sciences Virginia Polytechnical Institute 21044 Derring Hall Blacksburg, VA 24061

Dr. Stephen Bratt Center for Seismic Studies 1300 North 17th Street Suite 1450 Arlington, VA 22209-2308

Dr. Lawrence Burdick Woodward-Clyde Consultants 566 El Dorado Street Pasadena, CA 91109-3245

Dr. Robert Burridge Schlumberger-Doll Research Center Old Quarry Road Ridgefield, CT 06877

Dr. Jerry Carter Center for Seismic Studies 1300 North 17th Street Suite 1450 Arlington, VA 22209-2308

Dr. Eric Chael Division 9241 Sandia Laboratory Albuquerque, NM 87185

Prof. Vernon F. Cormier
Department of Geology & Geophysics
U-45, Room 207
University of Connecticut
Storrs, CT 06268

Prof. Steven Day
Department of Geological Sciences
San Diego State University
San Diego, CA 92182

Marvin Denny U.S. Department of Energy Office of Arms Control Washington, DC 20585

Dr. Zoltan Der ENSCO, Inc. 5400 Port Royal Road Springfield, VA 22151-2388

Prof. Adam Dziewonski Hoffman Laboratory, Harvard University Dept. of Earth Atmos. & Planetary Sciences 20 Oxford Street Cambridge, MA 02138

Prof. John Ebel
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Eric Fielding SNEE Hall INSTOC Cornell University Ithaca, NY 14853

Dr. Mark D. Fisk Mission Research Corporation 735 State Street P.O. Drawer 719 Santa Barbara, CA 93102

Prof Stanley Flatte
Applied Sciences Building
University of California, Santa Cruz
Santa Cruz, CA 95064

Dr. John Foley NER-Geo Sciences 1100 Crown Colony Drive Quincy, MA 02169

Prof. Donald Forsyth Department of Geological Sciences Brown University Providence, RI 02912

Dr. Art Frankel U.S. Geological Survey 922 National Center Reston, VA 22092 Dr. Cliff Frolich Institute of Geophysics 8701 North Mopac Austin, TX 78759

Dr. Holly Given IGPP, A-025 Scripps Institute of Oceanography University of California, San Diego La Jolla, CA 92093

Dr. Jeffrey W. Given SAIC 10260 Campus Point Drive San Diego, CA 92121

Dr. Dale Glover
Defense Intelligence Agency
ATTN: ODT-1B
Washington, DC 20301

Dr. Indra Gupta Teledyne Geotech 314 Montgomery Street Alexanderia, VA 22314

Dan N. Hagedon Pacific Northwest Laboratories Battelle Boulevard Richland, WA 99352

Dr. James Hannon Lawrence Livermore National Laboratory P.O. Box 808 L-205 Livermore, CA 94550

Dr. Roger Hansen HQ AFTAC/TTR Patrick AFB, FL 32925-6001

Prof. David G. Harkrider Seismological Laboratory Division of Geological & Planetary Sciences California Institute of Technology Pasadena, CA 91125

Prof. Danny Harvey CIRES University of Colorado Boulder, CO 80309 Prof. Donald V. Helmberger Seismological Laboratory Division of Geological & Planetary Sciences California Institute of Technology Pasadena, CA 91125

Prof. Eugene Herrin
Institute for the Study of Earth and Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Robert B. Herrmann
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Prof. Lane R. Johnson Seismographic Station University of California Berkeley, CA 94720

Prof. Thomas H. Jordan
Department of Earth, Atmospheric &
Planetary Sciences
Massachusetts Institute of Technology
Cambridge, MA 02139

Prof. Alan Kafka
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Robert C. Kemerait ENSCO, Inc. 445 Pineda Court Melbourne, FL 32940

Dr. Max Koontz U.S. Dept. of Energy/DP 5 Forrestal Building 1000 Independence Avenue Washington, DC 20585

Dr. Richard LaCoss MIT Lincoln Laboratory, M-200B P.O. Box 73 Lexington, MA 02173-0073

Dr. Fred K. Lamb
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Charles A. Langston Geosciences Department 403 Deike Building The Pennsylvania State University University Park, PA 16802

Jim Lawson, Chief Geophysicist Oklahoma Geological Survey Oklahoma Geophysical Observatory P.O. Box 8 Leonard, OK 74043-0008

Prof. Thorne Lay Institute of Tectonics Earth Science Board University of California, Santa Cruz Santa Cruz, CA 95064

Dr. William Leith U.S. Geological Survey Mail Stop 928 Reston, VA 22092

Mr. James F. Lewkowicz Phillips Laboratory/GPEH Hanscom AFB, MA 01731-5000(2 copies)

Mr. Alfred Lieberman ACDA/VI-OA State Department Building Room 5726 320-21st Street, NW Washington, DC 20451

Prof. L. Timothy Long School of Geophysical Sciences Georgia Institute of Technology Atlanta, GA 30332

Dr. Randolph Martin, III New England Research, Inc. 76 Olcott Drive White River Junction, VT 05001

Dr. Robert Masse Denver Federal Building Box 25046, Mail Stop 967 Denver, CO 80225

Dr. Gary McCartor
Department of Physics
Southern Methodist University
Dallas, TX 75275

Prof. Thomas V. McEvilly Seismographic Station University of California Berkeley, CA 94720

Dr. Art McGarr U.S. Geological Survey Mail Stop 977 U.S. Geological Survey Menlo Park, CA 94025

Dr. Keith L. McLaughlin S-CUBED A Division of Maxwell Laboratory P.O. Box 1620 La Jolla, CA 92038-1620

Stephen Miller & Dr. Alexander Florence SRI International 333 Ravenswood Avenue Box AF 116 Menlo Park, CA 94025-3493

Prof. Bernard Minster IGPP, A-025 Scripps Institute of Oceanography University of California, San Diego La Jolla, CA 92093

Prof. Brian J. Mitchell
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Mr. Jack Murphy S-CUBED A Division of Maxwell Laboratory 11800 Sunrise Valley Drive, Suite 1212 Reston, VA 22091 (2 Copies)

Dr. Keith K. Nakanishi Lawrence Livermore National Laboratory L-025 P.O. Box 808 Livermore, CA 94550

Dr. Carl Newton Los Alamos National Laboratory P.O. Box 1663 Mail Stop C335, Group ESS-3 Los Alamos, NM 87545

Dr. Bao Nguyen HQ AFTAC/TTR Patrick AFB, FL 32925-6001 Prof. John A. Orcutt IGPP, A-025 Scripps Institute of Oceanography University of California, San Diego La Jolla, CA 92093

Prof. Jeffrey Park Kline Geology Laboratory P.O. Box 6666 New Haven, CT 06511-8130

Dr. Howard Patton
Lawrence Livermore National Laboratory
L-025
P.O. Box 808
Livermore, CA 94550

Dr. Frank Pilotte HQ AFTAC/TT Patrick AFB, FL 32925-6001

Dr. Jay J. Pulli Radix Systems, Inc. 2 Taft Court, Suite 203 Rockville, MD 20850

Dr. Robert Reinke ATTN: FCTVTD Field Command Defense Nuclear Agency Kirtland AFB, NM 87115

Prof. Paul G. Richards Lamont-Doherty Geological Observatory of Columbia University Palisades, NY 10964

Mr. Wilmer Rivers Teledyne Geotech 314 Montgomery Street Alexandria, VA 22314

Dr. George Rothe HQ AFTAC/TTR Patrick AFB, FL 32925-6001

Dr. Alan S. Ryall, Jr. DARPA/NMRO 3701 North Fairfax Drive Arlington, VA 22209-1714 Dr. Richard Sailor TASC, Inc. 55 Walkers Brook Drive Reading, MA 01867

Prof. Charles G. Sammis
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Christopher H. Scholz Lamont-Doherty Geological Observatory of Columbia University Palisades, CA 10964

Dr. Susan Schwartz Institute of Tectonics 1156 High Street Santa Cruz, CA 95064

Secretary of the Air Force (SAFRD) Washington, DC 20330

Office of the Secretary of Defense DDR&E Washington, DC 20330

Thomas J. Sereno, Jr. Science Application Int'l Corp. 10260 Campus Point Drive San Diego, CA 92121

Dr. Michael Shore Defense Nuclear Agency/SPSS 6801 Telegraph Road Alexandria, VA 22310

Dr. Matthew Sibol
Virginia Tech
Seismological Observatory
4044 Derring Hall
Blacksburg, VA 24061-0420

Prof. David G. Simpson IRIS, Inc. 1616 North Fort Myer Drive Suite 1440 Arlington, VA 22209 Donald L. Springer
Lawrence Livermore National Laboratory
L-025
P.O. Box 808
Livermore, CA 94550

Dr. Jeffrey Stevens S-CUBED A Division of Maxwell Laboratory P.O. Box 1620 La Jolla, CA 92038-1620

Lt. Col. Jim Stobie ATTN: AFOSR/NL Bolling AFB Washington, DC 20332-6448

Prof. Brian Stump Institute for the Study of Earth & Man Geophysical Laboratory Southern Methodist University Dallas, TX 75275

Prof. Jeremiah Sullivan University of Illinois at Urbana-Champaign Department of Physics 1110 West Green Street Urbana, IL 61801

Prof. L. Sykes Lamont-Doherty Geological Observatory of Columbia University Palisades, NY 10964

Dr. David Taylor ENSCO, Inc. 445 Pineda Court Melbourne, FL 32940

Dr. Steven R. Taylor Los Alamos National Laboratory P.O. Box 1663 Mail Stop C335 Los Alamos, NM 87545

Prof. Clifford Thurber
University of Wisconsin-Madison
Department of Geology & Geophysics
1215 West Dayton Street
Madison, WS 53706

Prof. M. Nafi Toksoz Earth Resources Lab Massachusetts Institute of Technology 42 Carleton Street Cambridge, MA 02142 Dr. Larry Turnbull CIA-OSWR/NED Washington, DC 20505

Dr. Gregory van der Vink IRIS, Inc. 1616 North Fort Myer Drive Suite 1440 Arlington, VA 22209

Dr. Karl Veith EG&G 5211 Auth Road Suite 240 Suitland, MD 20746

Prof. Terry C. Wallace Department of Geosciences Building #77 University of Arizona Tuscon, AZ 85721

Dr. Thomas Weaver Los Alamos National Laboratory P.O. Box 1663 Mail Stop C335 Los Alamos, NM 87545

Dr. William Wortman Mission Research Corporation 8560 Cinderbed Road Suite 700 Newington, VA 22122

Prof. Francis T. Wu
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

AFTAC/CA (STINFO) Patrick AFB, FL 32925-6001

DARPA/PM 3701 North Fairfax Drive Arlington, VA 22203-1714

DARPA/RMO/RETRIEVAL 3701 North Fairfax Drive Arlington, VA 22203-1714 DARPA/RMO/SECURITY OFFICE 3701 North Fairfax Drive Arlington, VA 22203-1714

HQ DNA ATTN: Technical Library Washington, DC 20305

Defense Intelligence Agency
Directorate for Scientific & Technical Intelligence
ATTN: DTIB
Washington, DC 20340-6158

Defense Technical Information Center Cameron Station Alexandria, VA 22314 (2 Copies)

TACTEC
Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201 (Final Report)

Phillips Laboratory ATTN: XPG Hanscom AFB, MA 01731-5000

Phillips Laboratory ATTN: GPE Hanscom AFB, MA 01731-5000

Phillips Laboratory ATTN: TSML Hanscom AFB, MA 01731-5000

Phillips Laboratory ATTN: SUL Kirtland, NM 87117 (2 copies)

Dr. Michel Bouchon I.R.I.G.M.-B.P. 68 38402 St. Martin D'Heres Cedex, FRANCE Dr. Michel Campillo Observatoire de Grenoble I.R.I.G.M.-B.P. 53 38041 Grenoble, FRANCE

Dr. Kin Yip Chun
Geophysics Division
Physics Department
University of Toronto
Ontario, CANADA

Prof. Hans-Peter Harjes Institute for Geophysic Ruhr University/Bochum P.O. Box 102148 4630 Bochum 1, GERMANY

Prof. Eystein Husebye NTNF/NORSAR P.O. Box 51 N-2007 Kjeller, NORWAY

David Jepsen
Acting Head, Nuclear Monitoring Section
Bureau of Mineral Resources
Geology and Geophysics
G.P.O. Box 378, Canberra, AUSTRALIA

Ms. Eva Johannisson Senior Research Officer National Defense Research Inst. P.O. Box 27322 S-102 54 Stockholm, SWEDEN

Dr. Peter Marshall
Procurement Executive
Ministry of Defense
Blacknest, Brimpton
Reading FG7-FRS, UNITED KINGDOM

Dr. Bernard Massinon, Dr. Pierre Mechler Societe Radiomana 27 rue Claude Bernard 75005 Paris, FRANCE (2 Copies)

Dr. Svein Mykkeltveit NTNT/NORSAR P.O. Box 51 N-2007 Kjeller, NORWAY (3 Copies)

Prof. Keith Priestley University of Cambridge Bullard Labs, Dept. of Earth Sciences Madingley Rise, Madingley Road Cambridge CB3 OEZ, ENGLAND Dr. Jorg Schlittenhardt
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hannover 51, GERMANY

Dr. Johannes Schweitzer Institute of Geophysics Ruhr University/Bochum P.O. Box 1102148 4360 Bochum 1, GERMANY